

No. CANEC1601328004 A01

Date: 24 Feb 2016

Page 1 of 13

DONGGUAN SHI QI LONG(JIN QI) ELECTRICITY CO.,LTD
YE WU INDUSTRIAL AREA MEI LING DA LING SHAN TOWN DONGGUAN
CHINA

This report is to supersede test report CANEC1601328001

The following sample(s) was/were submitted and identified on behalf of the clients as: PVC environmental protection materials

SGS Job No.:

CP16-003928 - GZ

Client Ref. Info.:

Natre transparent, white, black, yellow, grey, blue, green, red, brown, purple,

golden, silver, Silver grey, orange, pearl color mixture

Date of Sample Received:

20 Jan 2016

Testing Period:

20 Jan 2016 - 01 Feb 2016

Test Requested:

Selected test(s) as requested by client.

Test Method:

Please refer to next page(s).

Test Results:

Please refer to next page(s).

Conclusion:

Based on the performed tests on submitted sample(s), the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs),

Polybrominated diphenyl ethers (PBDEs) and Phthalates such as

Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl

phthalate (DBP), and Diisobutyl phthalate (DIBP) comply with the limits as set by

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

When tested as specified, Migration of certain elements of the submitted

sample(s) do not exceed the limit of the European Standard EN

71-3:2013+A1:2014.

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Echo

Echo Yeung
Approved Signatory



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/lerms-and-Conditions/rems-en-Documents at http://www.sgs.com/en/lerms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflect the Company's findings at the time of its intervention only and within the limits of Client's flamy. The Company's soje responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or laisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing finspection report & certificate, phase contact us at telephone: (86-755) 8307 1443

| 198 Kedu Road Sciented: Park Quargabu Economic & Technology Development District Quargabu (Chine 510663 L (86-20) 82155555 f (86-20) 82075113 www.sgs.group.com.cn
中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 L (86-20) 82155555 f (86-20) 82075113 e sgs.chlna@sgs.com



No: CANEC1601328004 A01

Date: 24 Feb 2016

Page 2 of 13

Test Results:

Test Part Description:

Specimen No.

SGS Sample ID

Description

SN1

CAN16-013280.001

Dk-grey sheet

Remarks:

(1) 1 mg/kg = 0.0001%

(2) MDL = Method Detection Limit

(3) ND = Not Detected (< MDL)

(4) "-" = Not Regulated

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Method: (1)With reference to IEC 62321-5:2013, determination of Cadmium by ICP-OES.

(2) With reference to IEC 62321-5:2013, determination of Lead by ICP-OES.

(3) With reference to IEC 62321-4:2013, determination of Mercury by ICP-OES.

(4) With reference to IEC 62321:2008, determination of Hexavalent Chromium by Colorimetric

Method using UV-Vis.

(5) With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.

(6) With reference to EN 14372:2004, determination of phthalates by GC-MS.

· · · · · · · · · · · · · · · · · · ·				
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1,000	mg/kg	2	ND
Mercury (Hg)	1,000	mg/kg	2	· ND
Hexavalent Chromium (CrVI)	1,000	mg/kg	2	ND
Sum of PBBs	1,000	mg/kg		ND
Monobromobiphenyl	-	mg/kg	5	ND
Dibromobiphenyl	-	mg/kg	5	ND
Tribromobiphenyl	-	mg/kg	5	ND
Tetrabromobiphenyl	_	mg/kg	5 .	ND
Pentabromobiphenyl		mg/kg	5	ND
Hexabromobiphenyl		mg/kg	5	ND
Heptabromobiphenyl	,. -	mg/kg	5	ND
Octabromobiphenyl	-	mg/kg	5	ND
Nonabromobiphenyl	-	mg/kg	. 5	. ND
Decabromobiphenyl	-	mg/kg	5	ND.
Sum of PBDEs	1,000	mg/kg	· -	ND



1199 Kedul Read, Scientach Park Geenathou Economic & Technology Development District, Guanathou, China 510,663 1 (86–20) 82155555 f (86–20) 82075113 www.sgsgroup.com.cn 邮编: 510663 t (86-20) 82155555 f (86-20) 82075113 e sgs.china@sgs.com 中国·广州·经济技术开发区科学城科珠路198号



Test Report	No. CANEC16013280	004 A01	Date: 2	24 Feb 2016	Page 3 of 13
Test Item(s)	<u>Limit</u>	<u>Unit</u>	MDL	<u>001</u>	
Monobromodiphenyl ether	•	mg/kg	5	ND	
Dibromodiphenyl ether	-	mg/kg	5	ND	
Tribromodiphenyl ether		mg/kg	5	ND	
Tetrabromodiphenyl ether	-	mg/kg	5	ND	
Pentabromodiphenyl ether	-	mg/kg	5	ND	
Hexabromodiphenyl ether	<u>-</u>	mg/kg	5	ND	
Heptabromodiphenyl ether	•	mg/kg	5	ND	
Octabromodiphenyl ether	-	mg/kg	5	ŃD	
Nonabromodiphenyl ether	· -	.mg/kg	- 5	ND	
Decabromodiphenyl ether	-	mg/kg	5	ND	
Dibutyl phthalate (DBP)	1,000	mg/kg	30	ND	•
Butyl benzyl phthalate (BBP)	1,000	mg/kg .	30	ND	
Bis (2-ethylhexyl) phthalate (DEHP)	1,000	mg/kg	30	ND	
Diisobutyl Phthalates (DIBP)	1,000	mg/kg	30	ND	

Notes:

(1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.

EN 71-3:2013+A1:2014 Migration of Certain Elements (Category III: Scrapped-off toy material)

Test Method: With reference to EN 71-3:2013+A1:2014. Analysis was performed by ICP-OES.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	MDL	<u>001</u>
Soluble Aluminum(Al)	70,000	mg/kg	50	ND
Soluble Antimony (Sb)	560	mg/kg	10	ND
Soluble Arsenic (As)	47	mg/kg	10	ND
Soluble Barium (Ba)	18,750	mg/kg	50	ND
Soluble Boron(B)	15,000	mg/kg	50	ND.
Soluble Cadmium (Cd)	17	mg/kg	5	ND
Soluble Chromium (III) (Cr (III))	460	mg/kg	5	ND
Soluble Chromium (VI) (Cr (VI))	0.2	mg/kg	0.18	ND.
Soluble Cobalt(Co)	130	mg/kg	10	ND
Soluble Copper(Cu)	7,700	mg/kg	50	ND
Soluble Lead (Pb)	160	mg/kg	10	ND
Soluble Manganese(Mn)	15,000	mg/kg	-50	ND
Soluble Mercury (Hg)	94	mg/kg	10	ND
Soluble Nickel(Ni)	930	mg/kg	10	ND
Soluble Organic Tin	12	mg/kg	· -	ND



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx, and, for electronic format documents, subject to Terms and Conditions for Electronic format documents at the first of the limitation of itself light processes at the time of limitation of itself light document is advised that information contained hereon reflects the Company's indings at the time of lish intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report roler only to the sample(s) tested.

Attentions To chack the authematicity of testing inspection report & certificate, pages contact us atterphone; (86-758) 8397 1443.



Test Report	No. CANEC16013280	04 A01	Date: 2	24 Feb 2016	Page 4 of 13
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>	
Soluble Selenium (Se)	460	mg/kg	10	ND	•
Soluble Strontium(Sr)	56,000	mg/kg	50	ND	
Soluble Tin(Sn)	180,000	mg/kg	4.9	ND	
Soluble Zinc (Zn)	46,000	mg/kg	50	ND	

Notes:

- 1. Soluble Chromium (III)= Soluble Total Chromium- Soluble Chromium (VI)
- 2. Confirmation test of soluble chromium (III) & chromium (VI) is not required in case of soluble chromium does not exceed their requirements as specified in EN 71-3:2013+A1:2014
- 3. Confirmation test of soluble organic tin is not required in case of soluble tin, after conversion, does not exceed the soluble organic tin requirement as specified in EN 71-3:2013+A1:2014.

Bisphenol-A

Test Method: With reference to EPA 3550C. analysis was performed by HPLC-MS.

Test Item(s)	<u>Unit</u>	MDL	<u>001</u>
Bisphenol-A	mg/kg	1.0	ND

Nonviphenol (NP)

Test Method: With reference to US EPA Method 3550C:2007, analysis was performed by LC-MS.

Test Item(s)	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Nonylphenol(NP)	mg/kg	10	ND

Notes:

(1) NP and NPEO Reference Information: Entry 46 of Regulation (EC) No 552/2009 amending Annex XVII of REACH Regulation (EC) No 1907/2006 (previously restricted under Directive 2003/53/EC): Shall not be placed on the market, or used, as substances or in mixtures in concentrations equal to or greater than 0,1 % by weight for industrial and institutional cleaning, domestic cleaning, textiles and leather processing, emulsifier in agricultural teat dips, metal working, manufacturing of pulp and paper, cosmetic products, other personal care products and co-formulants in pesticides and biocides. Please refer to Regulation (EC) No 552/2009 to get more detail information.

(2) Confirmation was conducted by GC-MS where necessary.

Polycyclic Aromatic Hydrocarbons (PAHs)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/eo/ferms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents is at http://www.sgs.com/eo/ferms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of Ilability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information-contained hereon reflect the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not experate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgeny or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention. To check the authenticity of testing flusting flusting flusting report & certificate, please contact us at religible to the content of the content of the Concent of the C

|1997/ezbu Rusd,Scientech Park Guenaphou Economics Technology Development District, Quangshou, Drine 510-663 1 (86-20) 82155555 [(86-20) 82075113 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510-663 1 (86-20) 82155555 ! (86-20) 82075113 e sgs.china@sgs.com



No. CANEC1601328004 A01

Date: 24 Feb 2016

Page 5 of 13

Test Method: With reference to AfPS GS 2014:01 PAK, analysis was performed by GC-MS.

Test Item(s)	CAS NO.	<u>Unit</u>	MDL	<u>001</u>
Naphthalene(NAP)	91-20-3	mg/kg	0.1	ND
Acenaphthylene(ANY)	208-96-8	mg/kg	0.1	ND
Acenaphthene(ANA)	83-32-9	mg/kg	0.1	ND
Fluorene(FLU)	86-73-7	mg/kg	0.1	ND
Phenanthrene(PHE)	85-01-8	mg/kg	0.1	ND
Anthracene(ANT)	120-12-7	mg/kg	0.1	ND
Fluoranthene(FLT)	206-44-0	mg/kg	0.1	ND
Pyrene(PYR)	129-00-0	mg/kg	0.1	ND
Benzo(a)anthracene(BaA)	56-55-3	mg/kg	0.1	ND
Chrysene(CHR)	218-01-9	mg/kg	0.1	ND
Benzo(b)fluoranthene(BbF)	205-99-2	mg/kg	0.1	ND
Benzo(j)fluoranthene(BjF)	205-82-3	mg/kg	0.1	ND
Benzo(k)fluoranthene(BkF)	207-08-9	mg/kg	0.1	ND
Benzo(a)pyrene(BaP)	50-32-8	mg/kg	0.1	ND
Benzo(e)pyrene(BeP)	192-97-2	mg/kg	0.1	ND
Indeno(1,2,3-c,d)pyrene(IPY)	193-39-5	mg/kg	0.1	ND ·
Dibenzo(a,h)anthracene(DBA)	53-70-3	mg/kg	0.1	ND
Benzo(g,h,i)perylene(BPE)	191-24-2	mg/kg	0.1	ND
Sum of 7 PAHs Acenaphthylene. Acenaphthene,	· -	mg/kg		ND
Fluorene, Phenanthrene, Pyrene, Anthracene,				
Fluoranthene				ND
Sum of 18 PAHs	- -	mg/kg	-	ND



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/or Terms and Conditions for Electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein. Any holder of this document is advised that Information contained hereon reflect the Company's findings at the time of its Intervention only and within the limits of Client's instructions, if any. The Company's Sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights.and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorize alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report rafer only to the sample(s) tested.

Attentions: Te check the gutbenguity of testing /inspection report & certificate, plasse contact us at telephone; (86-755) \$3971443



No. CANEC1601328004 A01

Date: 24 Feb 2016

Page 6 of 13

AfPS (German commission for Product Safety): GS PAHs requirements

Parameter	Category 1	Categ	ory 2	Category	/ 3
	Material indented to be put in the mouth or toys with intended skin contact (longer than 30 s).	category 1 will foreseeable of skin for longe (long-term ski	Materials not falling under category 1 with oreseeable contact to skin for longer than 30 s long-term skin) or requent contact. Materials not falling under category 1 or 2 with fores contact to skin for less the (short-term skin contact).		foreseeable essthan 30 s
	,	Toy under 2009/48/EC	Other products under ProdSG	Toy under 2009/48/EC	Other products under ProdSG
Benzo(a)pyrene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	<1
Benzo(e)pyrene Mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	<1
Benzo(a)anthracene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(b)fluoranthene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(j)fluoranthene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(k)fluoranthene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Chrysene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Dibenzo(a,h)anthracene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(g,h,i)perylene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Indeno(I,2,3-cd)pyrene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Acenaphthylene, Acenaphthene, fluorene,phenanthrene, pyrene, anthracene, fluoranthene, mg/kg	· < 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum
Naphthalene, mg/kg	< 1	< 2		< 10	
Sum of 18 PAHs	<1 -	< 5	< 10	< 20	< 50

PFOS (Perfluorooctane sulfonates)

Test Method: With reference to CEN/TS15968:2010, analysis was performed by LC-MS.



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/lerms-and-Conditions.inspx.nd, and, to relectronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ygs.com/en/lerms-and-Conditions/Terms-en-Document.spx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To acheek the authenticity of testing inspection report & certificate, pages contact uset telephone; (86-755)8397 1443.

| 1886 ksztur Road, Scienlach Park Gusngchou Economic & Technology Development District, Guangchou China 510663 1 (86-20) 82155555 f (86-20) 82075113 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 1 (86-20) 82155555 f (86-20) 82075113 e sgs.china@sgs.com



No. CANEC1601328004 A01

Date: 24 Feb 2016

Page 7 of 13

Test Item(s)

CAS N

Unit

<u>MDL</u> 10 <u>001</u>

Perfluorooctane Sulfonates (PFOS)^

mg/kg

ND

Notes:

(1) ^ PFOS refer to Perfluoroctanesulfonic acid and its derivatives including Perfluoroctanesulfonic acid, Perfluoroctane sulfonamide, N-Methylperfluoroctane sulfonamide, N-Ethylperfluoroctane sulfonamide, N-Methylperfluoroctane sulfonamidoethanol and N-Ethylperfluoroctane sulfonamidoethanol.



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessib at https://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electron Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.attention is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflect the Company's findings at the time of its intervention only and within the limits of Client's interventions, if any. The Company's sole responsibilities to its Client and this document does not expensable to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorize attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fuller extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Automatics: The chack fire authematicity of testing inspections.pport & certificate, please contact us at telephone; (86-755) 8397 144:



No. CANEC1601328004 A01


Date: 24 Feb 2016

Page 8 of 13

ATTACHMENTS

Pb/Cd/Hg/Cr6+/PBBs/PBDEs Testing Flow Chart

- 1) Name of the person who made testing: Bruce Xiao / Sunny Hu
- 2) Name of the person in charge of testing: Bella Wang / Cutey Yu
- 3) These samples were dissolved totally by pre-conditioning method according to below flow chart (Cr⁶⁺ and PBBs/PBDEs test method excluded).





This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined increin. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its Intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any mauthorized alleration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Attention: To check the authenticity of testing //inspection report & certificate, please contact us at telephone: (85-755) 8397 1443.

108 Kahly Registrated Assessment States (1980) and the content of the content



No. CANEC1601328004 A01


Date: 24 Feb 2016

Page 9 of 13

ATTACHMENTS

Phthalates Testing Flow Chart

- 1) Name of the person who made testing: Sunny Hu
- 2) Name of the person in charge of testing: Cutey Yu





This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sco.com/en/terms-and-Conditions/or electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgc.com/en/terms-and-Conditions/Terms-e-Document.asxx. Attention is drawn to the limitation of itability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflect the Company's indings at the time of list intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or felsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulless extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attentions To church the suphemicity of testing inspection report & certificate, places contact us at telephone: (86-755) 8307 1443



No. CANEC1601328004 A01


Date: 24 Feb 2016

Page 10 of 13

ATTACHMENTS

PFOA / PFOS Testing Flow Chart

- 1) Name of the person who made testing: Zhihong Wang
- 2) Name of the person in charge of testing: Cutey Yu





This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electron Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.espx, Attention is drawn to the limitation of liabilit indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflect the Company's indings at the time of its intervention only and within the limits of Client's interventions, if any. The Company's sole responsibilities to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document company be represented to the full extent of the flow. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attentions To shock the authersticity of testing thought propert & extilicate, olosse contact us at tighthone; (86-75) 8307 144.



No. CANEC1601328004 A01


Date: 24 Feb 2016

Page 11 of 13

ATTACHMENTS

PAHs Testing Flow Chart

- 1) Name of the person who made testing: Sunny Hu
- 2) Name of the person in charge of testing: Cutey Yu





This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/lerms-and-Conditions.aspx.and, for electronic Documents at http://www.sgs.com/en/lerms-and-Conditions/lerms-e-Document.aspx. Attention is drawn to the limitation of Hability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflect the Company's indigns at the time of its intervention only and within the limits of Client instructions, if any. The Company's socie responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorize attention for organy is a company to the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) Lested.

Attentions: The check the authenticity of testing Insepction report & certificate, plasse contact us at telephone; (86-755)83071445.



No. CANEC1601328004 A01

Date: 24 Feb 2016


Page 12 of 13

ATTACHMENTS

BPA Testing Flow Chart

1) Name of the person who made testing: Zhihong Wang

2) Name of the person in charge of testing: Cutey Yu








No. CANEC1601328004 A01

Date: 24 Feb 2016

Page 13 of 13

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessful at http://www.sgs.com/en/Terms-and-Conditions.epx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document_espx. Attention is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflect the Company's findings at the time of its intervantion only and within the limits of Client's instructions, if any. The Company's sole responsibilities to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without priviten approval of the Company. Any unauthorize alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) Lested.

Attention; To check the authenticity of testing inappaction report & certificate, please contact us at telephone (86-755)8307 1443